AdA: Adams and Windsor loamy sands, 0 to 5 percent slopes

The Adams component makes up 43 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Windsor component makes up 43 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

| Important farmland classification: S | Statewide | Land capability: 3 s | Vermont Agricultural Value Group: 6 |
|--------------------------------------|-----------|----------------------|-------------------------------------|
| | | | |

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ia

This unit is well suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum is a concern. Backfilling absorption trenches with at least one foot of finer textured material or other site modifications may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent.

| | EBOSION EACTORS | | | | | | | | |
|-----------|-----------------|-----------------|---------------|--------------------------|-------------------------|----------------------------|-----------------|-----|---|
| Soil nome | Depth (In) | Typical texture | Clay (Pct) | Soil reaction (pH) | Permeability (In/Hr) | Organic matter (Pct) | ERUSION FACTORS | | |
| Soi name | | | | | | | Kw | Kf | Т |
| Adams | 0-7 | LS | 0-5 | 3.6 - 6.0 | 6-20 | 2.0-5.0 | .10 | .10 | 5 |
| | 7-30 | LFS | 0-5 | 4.5 - 6.0 | 6-20 | 1.0-3.0 | .20 | .20 | |
| | 30-65 | LFS | 0-5 | 4.5 - 6.5 | 20-100 | 0.0-0.5 | .20 | .20 | |
| Windsor | 0-6 | LS | 1-3 | 4.5 - 6.0 | 6-20 | 2.0-4.0 | .15 | .15 | 5 |
| | 6-23 | LS | 0-3 | 4.5 - 6.0 | 6-20 | 0.5-2.0 | .15 | .15 | |
| | 23-65 | COS | 0-2 | 4.5 - 6.5 | 6-20 | 0.0-0.5 | .02 | .02 | |

| WATER FEATURES | | | | | | SOIL FEATURES | | |
|-----------------|----------------------------|-------------------|----------|-----------|----------|---------------|---------------------------------------|--|
| | Hydrologic | Depth to seasonal | Floo | ding | Pone | ding | Hydric | |
| Soil name group | high water table (Feet) | Frequency | Duration | Frequency | Duration | soil? | Depth to bedrock (range in inches) | |
| Adams | А | | None | | None | | No | |
| Windsor | А | | None | | None | | No | |

| | LAND USE LIMITA | AGRICULTURAL YIELD DATA | | | | | |
|-----------|---------------------------|-------------------------|-----------|--|------------------|--------------|--|
| Soil name | Land use | Rating | Reason ** | | Crop name | Yield / acre | |
| Adams | Dwellings with basements: | Not limited | | | Alfalfa hay | 3 Tons | |
| Windsor | Dwellings with basements: | Not limited | | | Grass-legume hay | 2.5 Tons | |
| Adama | | Vonulimited | Seenege | | Grass-clover | 5.5 AUM | |
| Audins | Pond reservoir areas: | | Seepage | | Grass hay | 2 Tons | |
| windsor | Pond reservoir areas: | very limited | Seepage | | Corn silage | 14 Tons | |
| | | | | | Corn silage | 16 Tons | |
| | | | | | Pasture | 4.5 AUM | |
| | | | | | Grass-legume hay | 4 Tons | |

| | Management | | WOODLAND MANA | AGEMENT |
|-----------|----------------------------|-------------|---------------|--|
| Soil name | concern | Rating | Reason | Vermont natural communities |
| Adams | Harvest equip operability: | Well suited | | Hemlock-Northern Hardwood Forest, |
| Windsor | Harvest equip operability: | Well suited | | Hemlock-White Pine-Northern Hardwood Forest |
| Adams | Road suitability: | Well suited | | White Pine-Northern Hardwood Forest Variant, |
| Windsor | Road suitability: | Well suited | | Hemlock Forest |
| Adams | Erosion hazard (off-road): | Slight | | |
| Windsor | Erosion hazard (off-road): | Slight | | |



