

163B: Tunbridge-Monadnock complex, 3 to 8 percent slopes, very stony

The Tunbridge component makes up 50 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills, mountains. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Monadnock component makes up 30 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. This component is on hills, mountains. The parent material consists of sandy and gravelly drift over sandy and gravelly drift. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification:	NPSL	Land capability: 6 s	Vermont Agricultural Value Group: 9
------------------------------------	------	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIc

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock in some areas is the primary concern. A significant percentage of this map unit has sufficient soil depth over bedrock to accept a range of designs. On-site investigations can help avoid areas with limited depth to bedrock. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

PHYSICAL and CHEMICAL PROPERTIES								EDOCION EACTORS	
Cailmana	Depth	Typical	Clay	Soil	Permeability	Organic	ERUS	EROSION FACTORS	
Soil name	(In)	I I I I I I I I I I I I I I I I I I I	(In/Hr)	n/Hr) matter (Pct)	Kw	Kf	Т		
Tunbridge	0-1	SPM		3.6 - 5.5	2-6	35-100			2
•	1-4	FSL	1-15	4.5 - 6.0	0.6-6	2.0-8.0	.24	.24	
	4-25	FSL	1-15	4.5 - 6.0	0.6-6	0.5-4.5	.37	.37	
	25-35	UWB			0.01-20				
Monadnock	0-1	MPM		3.6 - 5.5	2-6	35-100			4
	1-5	FSL	1-15	4.5 - 6.0	0.6-2	3.0-8.0	.28	.28	
	5-22	COSL, LFS, VFSL	1-15	4.5 - 6.0	0.6-2	0.5-4.5	.37	.37	
	22-65	GR-COS, GRV- LCOS	1-5	4.5 - 6.0	2-6	0.0-1.0	.05	.24	

WATER FEATURES							SOIL FEATURES		
Soil name	i i ivalologic	Depth to seasonal high water table (Feet)	Flooding		Ponding		Hydric		
			Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Tunbridge	С		None		None		No	20-40	
Monadnock	В		None		None		No		

	LAND USE LIMITA	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Tunbridge Monadnock	Dwellings with basements: Dwellings with basements:	,	Depth to hard bedrock	Pasture Grass-legume hay	3.1 AUM 4 Tons
Tunbridge	Pond reservoir areas:	Somewhat limited	Depth to bedrock	Grass-clover Grass hay	6.6 AUM 3.5 Tons
Monadnock	Pond reservoir areas:	Very limited	Seepage	Corn silage Alfalfa hay	18 Tons 4 Tons

	Management		WOODLAND MANA	AGEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Tunbridge	Harvest equip operability:	Well suited		Northern Hardwood Forest,
Monadnock	Harvest equip operability:	Well suited		Hemlock-Northern Hardwood Forest, Mesic Red Oak-Northern Hardwood Forest,
Tunbridge	Road suitability:	Well suited		Beech-Red Maple-Hemlock-Northern Hardwood
Monadnock	Road suitability:	Well suited		Forest Variant, Hemlock Forest
Tunbridge	Erosion hazard (off-road):	Slight		Heililock Folest



Monadnock

Erosion hazard (off-road): Slight