

30A: Ondawa-Sunday complex, 0 to 2 percent slopes, occasionally flooded

The Ondawa, flooded component makes up 45 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. This component is on flood plains. The parent material consists of loamy alluvium over sandy and gravelly alluvium. Depth to a root restrictive layer is greater than 60 inches.

The Sunday, flooded component makes up 30 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on flood plains. The parent material consists of sandy alluvium. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification:	Prime	Land capability: 1	Vermont Agricultural Value Group: 3
------------------------------------	-------	--------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIg

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The hazard of flooding is the major limitation. This unit is on floodplains and typically includes land in the floodway and the special flood hazard area. Consult flood hazard maps prepared by the Federal Emergency Management Agency (FEMA) in local town offices for more information. Wastewater systems must be located, designed and constructed in a manner that avoids impairment to the system and contamination from the system due to flooding.

PHYSICAL and CHEMICAL PROPERTIES								ION EA	CTOPS
Soil name	Depth	Typical	Clay	Soil reaction	Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
Soli Hame	(ln)	texture	(Pct)	I I Caction			Kw	Kf	Т
Ondawa, flooded	0-12	FSL	1-9	4.5 - 6.8	0.6-6	1.0-5.0	.32	.32	3
	12-32	FSL	1-9	4.5 - 6.0	0.6-6	0.1-2.5	.37	.37	
	32-65	FS	0-6	4.5 - 6.0	6-100	0.0-2.0	.10	.10	
Sunday, flooded	0-19	LFS	0-5	3.5 - 6.8	6-20	0.2-5.0	.28	.28	5
	19-26	LFS	0-5	3.5 - 6.8	6-20	0.1-2.5	.37	.37	
	26-65	LFS	0-5	5.1 - 7.3	6-100	0.0-2.0	.28	.28	

		<u>WATE</u>	R FEATURES	<u> </u>			SOIL	FEATURES
	Hydrologic	Depth to seasonal	Floo	oding	Pon	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Ondawa, flooded	А		Occasional	Brief (2 to 7 days)	None		No	
Sunday, flooded	Α		Occasional	Brief (2 to 7 days)	None		No	

	LAND USE LIMITAT	TIONS			AGRICULTURAL YIE	ELD DATA
Soil name	Land use	Rating	Reason **		Crop name	Yield / acre
Ondawa, flooded	Dwellings with basements:	Very limited	Flooding	1	Corn silage	26 Tons
Sunday, flooded	Dwellings with basements:	Very limited	Flooding		Pasture	12 AUM
Ondawa, flooded	Pond reservoir areas:	Very limited	Seepage		Grass-legume hay	5 Tons
•		•			Pasture	3.6 AUM
Sunday, flooded	Pond reservoir areas:	Very limited	Seepage		Grass hay	2 Tons
					Corn silage	12 Tons
					Alfalfa hay	2.5 Tons

_	Management	<u>v</u>	VOODLAND MANA	AGEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Ondawa	Harvest equip operability:	Well suited		Silver Maple-Ostrich Fern Riverine Floodplain
Sunday	Harvest equip operability:	Well suited		Forest, River Sand or Gravel Shore,
Ondawa	Road suitability:	Moderately suited	Flooding	Calcareous Riverside Seep,
Sunday	Road suitability:	Moderately suited	Flooding	Sugar Maple-Ostrich Fern Riverine Floodplain
Ondawa	Erosion hazard (off-road):	Slight		Forest, River Cobble Shore
Sunday	Erosion hazard (off-road):	Slight		

