

32B: Colton-Duxbury complex, 3 to 8 percent slopes

The Colton component makes up 37 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on outwash plains, outwash terraces. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Duxbury component makes up 35 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is high. This component is on outwash plains, outwash terraces. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: Statewide	Land capability: 3 s	Vermont Agricultural Value Group: 6
--	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: la

This unit is well suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum is a concern. Backfilling absorption trenches with at least one foot of finer textured material or other site modifications may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent.

PHYSICAL and CHEMICAL PROPERTIES							EROSION FACTORS		
0	Depth	Typical	Clay	Clay reaction (Permeability	Organic matter (Pct)	<u>EROSION FACTORS</u>		
Soil name	(In)	texture	(Pct)		(In/Hr)		Kw	Kf	Т
Colton	0-9	FSL	0-7	3.5 - 6.0	2-100	1.0-5.0	.24	.24	5
	9-13	GRV-LS	0-7	3.5 - 6.0	2-100	1.0-4.6	.10	.24	
	13-22	GR-COS	0-5	3.5 - 6.0	2-100	0.5-3.0	.02	.02	
	22-65	GRV-COS	0-3	4.5 - 6.5	20-100	0.0-0.5	.02	.02	
Duxbury	0-16	FSL	0-7	3.5 - 6.5	2-6	1.0-5.0	.32	.32	3
	16-28	GR-LFS	0-7	3.5 - 6.5	2-6	0.5-2.5	.20	.37	
	28-65	GRV-S	0-5	4.5 - 6.5	6-100	0.0-0.5	.02	.02	

WATER FEATURES						SOIL FEATURES		
	Hydrologic	Depth to seasonal	Floo	Flooding		Ponding		
Soil name group	high water table (Feet)	Frequency	Duration	Frequency	Duration	Hydric soil?	Depth to bedrock (range in inches)	
Colton	А		None		None		No	
Duxburv	Α		None		None		No	

	LAND USE LIMITA	AGRICULTURAL Y	AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Duxbury	Dwellings with basements:	Not limited		Pasture	9 AUM
Colton	Dwellings with basements:	Not limited		Grass-legume hay	3.5 Tons
Duxbury	Dand manning and a	Very limited	Coopea	Corn silage	18 Tons
•	Pond reservoir areas:	•	Seepage	Grass-clover	9 AUM
Colton	Pond reservoir areas:	Very limited	Seepage	Grass hay	3.5 Tons
				Corn silage	18 Tons

	Management		WOODLAND MANA	AGEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Duxbury	Harvest equip operability:	Well suited		Hemlock-Northern Hardwood Forest,
Colton	Harvest equip operability:	Well suited		Hemlock-White Pine-Northern Hardwood Forest Variant.
Duxbury	Road suitability:	Well suited		Lowland Spruce-Fir Forest, well drained phase,
Colton	Road suitability:	Well suited		White Pine-Northern Hardwood Forest Variant, Hemlock Forest.
Duxbury	Erosion hazard (off-road):	Slight		Red Pine Forest or Woodland
Colton	Erosion hazard (off-road):	Slight		

