

56B: Vershire-Glover complex, 3 to 8 percent slopes, very rocky

The Vershire, very rocky component makes up 43 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Glover, very rocky component makes up 35 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on hills. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

Important farmland classification: NPSL	Land capability: 6 s	Vermont Agricultural Value Group: 10
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIc

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock in some areas is the primary concern. A significant percentage of this map unit has sufficient soil depth over bedrock to accept a range of designs. On-site investigations can help avoid areas with limited depth to bedrock. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

PHYSICAL and CHEMICAL PROPERTIES							EDOCION FACTORS		
Soil name	Depth	pth Typical Clay soil	Permeability	Organic	EROSION FACTORS				
Soil Harrie	(ln)	texture	(Pct)	reaction (pH)	(In/Hr)	matter (Pct)	Kw	Kf	Т
Vershire, very rocky	0-2	MPM		3.6 - 5.5	2-6	35-100			2
	2-5	VFSL	1-15	4.5 - 6.5	0.6-2	1.0-6.0	.37	.37	
	5-19	VFSL	1-15	4.5 - 6.5	0.6-2	0.5-3.0	.64	.64	
	19-22	VFSL	1-10	4.5 - 7.3	0.6-2	0.0-1.0	.64	.64	
	22-32	UWB			0.01-20				
Glover, very rocky	0-1	MPM		3.6 - 5.5	2-6	35-100			1
	1-4	VFSL	1-15	4.5 - 6.5	0.6-2	1.0-6.0	.49	.49	
	4-18	VFSL	1-15	4.5 - 6.5	0.6-2	0.5-3.0	.64	.64	
	18-28	UWB			0.01-20				

		WATE	R FEATURES				SOIL	FEATURES	
	Hydrologic	Depth to seasonal	Flooding		Ponding		Hydric		
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Vershire, very rocky	С		None		None		No	20-40	
Glover, very rocky	D		None		None		No	10-20	

LAND USE LIMITATIONS				AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre	
Vershire, very rocky	Dwellings with basements:	Very limited	Depth to hard bedrock	Pasture	3.4 AUM	
Glover, very rocky	Dwellings with basements:	Very limited	Depth to hard bedrock	Pasture	2.4 AUM	
Vershire, very rocky	Pond reservoir areas:	Very limited	Depth to bedrock			
Glover, very rocky	Pond reservoir areas:	Very limited	Depth to bedrock			

	Management		WOODLAND MANA	GEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
/ershire	Harvest equip operability:	Well suited		Northern Hardwood Forest,
Glover	Harvest equip operability:	Well suited		Mesic Red Oak-Northern Hardwood Forest, Rich Northern Hardwood Forest,
ershire	Road suitability:	Well suited		Hemlock Forest,
lover	Road suitability:	Well suited		Temperate Acidic Outcrop,
ershire	Erosion hazard (off-road):	Slight		Temperate Acidic Cliff, Temperate Calcareous Outcrop,
Glover	Erosion hazard (off-road):	Slight		Temperate Calcareous Cliff

