

58D: Tunbridge-Lyman complex, 15 to 25 percent slopes, rocky

The Tunbridge, rocky component makes up 50 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, mountains on glaciated uplands. The parent material consists of loamy supraglacial till derived from granite and gneiss and/or loamy supraglacial till derived from phyllite and/or loamy supraglacial till derived from mica schist. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Lyman, rocky component makes up 33 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, mountains on glaciated uplands. The parent material consists of loamy supraglacial till derived from granite and gneiss and/or loamy supraglacial till derived from mica schist. Depth to a root restrictive layer, bedrock, lithic, is 11 to 24 inches.

Important farmland classification: NPS	Land capability: 4 e	Vermont Agricultural Value Group: 8
--	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IId

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock and slopes greater than 20 percent in some areas are the primary concerns. A significant percentage of this map unit has sufficient soil depth over bedrock to accept a range of designs. On-site investigations can help avoid areas with limited depth to bedrock. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock. There may be less-sloping areas within the unit that are suitable for siting a septic system, or, if feasible, cut and fill site modifications may produce an acceptable area within the unit. An erosion prevention and sediment control plan is required by the State for construction on sites over 20 percent slope.

PHYSICAL and CHEMICAL PROPERTIES							EDOSION FACTORS		
Soil name	Depth	Typical	Clay		Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
	(In)	texture	(Pct)				Kw	Kf	Т
Tunbridge, rocky	0-3	MPM		3.5 - 5.5	1-14	35-95			2
	3-5	HPM		3.5 - 5.5	1-14	35-95			
	5-8	FSL	1-10	3.5 - 6.0	0.1-14	1.4-5.7	.37	.37	
	8-11	FSL	1-10	3.5 - 6.0	0.1-14	3.1-25	.32	.32	
	11-26	FSL	1-10	3.5 - 6.0	0.1-14	2.2-18	.37	.37	
	26-28	FSL	1-10	5.1 - 6.5	0.1-14	1.0-4.2	.43	.43	
	28-38	BR			0.001-14				
Lyman, rocky	0-1	MPM		3.5 - 5.5	1-14	35-95			1
	1-3	L	1-10	3.5 - 6.0	0.1-14	4.0-20	.32	.32	
	3-5	FSL	1-10	3.5 - 6.0	0.1-14	1.4-5.7	.37	.37	
	5-7	L	1-10	3.5 - 6.0	0.1-14	3.1-25	.32	.32	
	7-11	L	1-10	3.5 - 6.0	0.1-14	2.2-18	.32	.32	
	11-18	CN-L	1-10	3.5 - 6.0	0.1-14	2.2-7.0	.24	.32	
	18-28	BR			0.001-14				

	WATER FEATURES					SOIL FEATURES		
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Tunbridge, rocky	С		None		None		No	20-40
Lvman, rockv	D		None		None		No	11-24

	LAND USE LIMITA	AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name Yield / acre
Tunbridge, rocky	Dwellings with basements:	Very limited	Slope	Grass-clover 4.8 AUM
Lyman, rocky	Dwellings with basements:	Very limited	Slope	Corn silage 15 Tons
Tunbridge, rocky	Pond reservoir areas:	Very limited	Slope	Grass-legume hay 3 Tons
3 , 3		,	•	Grass-clover 3.8 AUM
Lyman, rocky	Pond reservoir areas:	Very limited	Slope	Grass-legume hay 2 Tons



	Management	<u>w</u>	<u>SEMENT</u>			
Soil name	concern	Rating	Reason	Vermont natural communities		
Tunbridge	Harvest equip operability:	Moderately suited	Slope	Northern Hardwood Forest,		
Lyman	Harvest equip operability:	Moderately suited	Slope	Hemlock-Northern Hardwood Forest, Mesic Red Oak-Northern Hardwood Forest.		
Tunbridge	Road suitability:	Poorly suited	Slope	Beech-Red Maple-Hemlock-Northern Hardwood		
_yman	Road suitability:	Poorly suited	Slope	Forest Variant,		
Гunbridge	Erosion hazard (off-road):	Moderate	Slope/erodibility	Hemlock Forest		
Lyman	Erosion hazard (off-road):	Moderate	Slope/erodibility			