

AdD: Adams and Windsor loamy sands, 12 to 30 percent slopes

The Adams component makes up 43 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Windsor component makes up 43 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification:	NPSL	Land capability: 6 e	Vermont Agricultural Value Group: 8
------------------------------------	------	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ib

This unit is well suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum and slopes greater than 20 percent in some areas are concerns. Backfilling absorption trenches with at least one foot of finer textured material or other site modifications may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent. There may be less-sloping areas within the unit that are suitable for siting a septic system, or, if feasible, cut and fill site modifications may produce an acceptable area within the unit. An erosion prevention and sediment control plan is required by the State for construction on sites over 20 percent slope.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	Clay	Soil reaction	Permeability (In/Hr)	Organic matter	EROSION FACTORS		
Soli Harrie	(In)	texture	(Pct)	(pH)	` ,		Kw	Kf	Т
Adams	0-7	LS	0-5	3.6 - 6.0	6-20	2.0-5.0	.10	.10	5
	7-30	LFS	0-5	4.5 - 6.0	6-20	1.0-3.0	.20	.20	
	30-65	LFS	0-5	4.5 - 6.5	20-100	0.0-0.5	.20	.20	
Windsor	0-6	LS	1-3	4.5 - 6.0	6-20	2.0-4.0	.15	.15	5
	6-23	LS	0-3	4.5 - 6.0	6-20	0.5-2.0	.15	.15	
	23-65	COS	0-2	4.5 - 6.5	6-20	0.0-0.5	.02	.02	

	WATER FEATURES					SOIL	SOIL FEATURES		
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric		
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Adams	Α		None		None		No		
Windsor	Α		None		None		No		

	LAND USE LIMITA	AGRICULTURAL YI	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre	
Adams	Dwellings with basements:	Very limited	Slope	Grass-legume hay	2 Tons	
Windsor	Dwellings with basements:	Very limited	Slope	Grass-clover	4.5 AUM	
Adams	Pond reservoir areas:	Very limited	Seepage	Alfalfa hay	2.5 Tons	
Windsor	Pond reservoir areas:	Very limited	Seepage			

	Management	<u>w</u>	<u>EMENT</u>	
Soil name	concern	Rating	Reason	Vermont natural communities
Adams	Harvest equip operability:	Moderately suited	Slope	Hemlock-Northern Hardwood Forest,
Vindsor	Harvest equip operability:	Moderately suited	Slope	Hemlock-White Pine-Northern Hardwood Forest Variant.
Adams	Road suitability:	Poorly suited	Slope	White Pine-Northern Hardwood Forest Variant,
Vindsor	Road suitability:	Poorly suited	Slope	Hemlock Forest
dams	Erosion hazard (off-road):	Moderate	Slope/erodibility	
Vindsor	Erosion hazard (off-road):	Moderate	Slope/erodibility	