

CsE: Colton and Stetson soils, 30 to 60 percent slopes

The Colton component makes up 43 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Stetson component makes up 43 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. This component is on river valleys, terraces. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: NPSL	Land capability: 7 e	Vermont Agricultural Value Group: 11
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ile

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum and slopes greater than 20 percent are the primary concerns. Backfilling absorption trenches and beds with at least one foot of finer textured material, or other site modifications, may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent. Cut and fill site modifications may produce an acceptable area within the unit. An erosion prevention and sediment control plan is required by the State for construction on sites over 20 percent slope.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	cal Clay	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	<u>EROSION FACTORS</u>		
	(In)	texture	(Pct)				Kw	Kf	Т
Colton	0-4	GR-LS	1-5	4.5 - 6.0	6-20	2.0-6.0	.05	.10	5
	4-27	GRV-LS	0-5	4.5 - 6.0	6-20	0.0-0.5	.10	.24	
	27-60	GRV-COS	0-3	4.5 - 6.5	20-100	0.0-0.5	.02	.02	
Stetson	0-8	GR-FSL	4-9	4.5 - 6.5	0.6-6	1.0-5.0	.15	.24	3
	8-16	GR-FSL	2-8	4.5 - 6.5	0.6-6	1.0-4.0	.15	.28	
	16-25	GRV-LCOS	0-7	4.5 - 6.5	0.6-6	0.5-2.0	.05	.15	
	25-65	GRV-COS	0-2	4.5 - 7.8	6-20	0.0-0.5	.02	.02	

WATER FEATURES							SOIL FEATURES		
	Hydrologic	Depth to seasonal high water table (Feet)	Flooding		Ponding		Hydric		
Soil name	group		Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Colton	Α		None		None		No		
Stetson	Α		None		None		No		

	LAND USE LIMITAT	<u>AGRICULTURA</u>	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre	
Colton	Dwellings with basements:	Very limited	Slope	-		
Stetson	Dwellings with basements:	Very limited	Slope			
Colton Stetson	Pond reservoir areas: Pond reservoir areas:	Very limited Very limited	Seepage Seepage			

	Management	WOODLAND MANAGEMENT				
Soil name			Reason	Vermont natural communities		
Colton	Harvest equip operability:	Poorly suited	Slope	Hemlock-Northern Hardwood Forest,		
Stetson	Harvest equip operability:	Poorly suited	Slope	Hemlock-White Pine-Northern Hardwood Forest Variant.		
Colton	Road suitability:	Poorly suited	Slope	Lowland Spruce-Fir Forest, well drained phase,		
Stetson	Road suitability:	Poorly suited	Slope	White Pine-Northern Hardwood Forest Variant, Hemlock Forest.		
Colton	Erosion hazard (off-road):	Severe	Slope/erodibility	Red Pine Forest or Woodland		
Stetson	Erosion hazard (off-road):	Severe	Slope/erodibility			

