

## 32C: Colton-Duxbury complex, 8 to 15 percent slopes

The Colton component makes up 45 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on outwash terraces, outwash plains. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Duxbury component makes up 35 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is high. This component is on outwash plains, outwash terraces. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: NPSL	Land capability: 4 e	Vermont Agricultural Value Group: 8
---	----------------------	-------------------------------------

## Vermont Residential Onsite Waste Disposal Group and Subgroup: la

This unit is well suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum is a concern. Backfilling absorption trenches with at least one foot of finer textured material or other site modifications may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
0	Depth	Typical	Clay	Soil	Permeability	Organic	EROSION FACTORS		
Soil name	(In)	' I TEACTION		( ' '	matter (Pct)	Kw	Kf	Т	
Colton	0-9	FSL	0-7	3.5 - 6.0	2-100	1.0-5.0	.24	.24	5
	9-13	GRV-LS	0-7	3.5 - 6.0	2-100	1.0-4.6	.10	.24	
	13-22	GR-COS	0-5	3.5 - 6.0	2-100	0.5-3.0	.02	.02	
	22-65	GRV-COS	0-3	4.5 - 6.5	20-100	0.0-0.5	.02	.02	
Duxbury	0-16	FSL	0-7	3.5 - 6.5	2-6	1.0-5.0	.32	.32	3
	16-28	GR-LFS	0-7	3.5 - 6.5	2-6	0.5-2.5	.20	.37	
	28-65	GRV-S	0-5	4.5 - 6.5	6-100	0.0-0.5	.02	.02	

WATER FEATURES								SOIL FEATURES		
Soil name	group high water	Depth to seasonal	Flooding		Ponding		Hydric			
		high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)		
Colton	Α		None		None		No			
Duxbury	Α		None		None		No			

	LAND USE LIMITA	AGRICULTURAL YI	AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Colton	Dwellings with basements:	Somewhat limited	Slope	Pasture	9 AUM
Duxbury	Dwellings with basements:	Somewhat limited	Slope	Grass-legume hay	3.5 Tons
Colton	Pond reservoir areas:	Very limited	Seepage	Corn silage Grass-clover	16 Tons 9 AUM
Duxbury	Pond reservoir areas: Very limited Seepag	Seepage	Grass hay Corn silage	3.5 Tons 16 Tons	

	Management	<u>v</u>	VOODLAND MAI	NAGEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Colton	Harvest equip operability:	Well suited		Hemlock-Northern Hardwood Forest,
Duxbury	Harvest equip operability:	Well suited		Hemlock-White Pine-Northern Hardwood Forest Variant.
Colton	Road suitability:	Moderately suited	Slope	Lowland Spruce-Fir Forest, well drained phase,
Duxbury	Road suitability:	Moderately suited	Slope	White Pine-Northern Hardwood Forest Variant,
Colton	Erosion hazard (off-road):	Slight		Hemlock Forest, Red Pine Forest or Woodland
Duxbury	Erosion hazard (off-road):	Slight		