

KbB: Kendaia silt loam, 3 to 8 percent slopes

The Kendaia component makes up 85 percent of the map unit. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately low. This component is on depressions on glaciated uplands. The parent material consists of fine-loamy till. Depth to a root restrictive layer is greater than 60 inches.

nportant farmland classification: Prime	Land capability: 3 w	Vermont Agricultural Value Group: 3d
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIc

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to the seasonal high water table in association with the minimal slope is the major limitation. A detailed, site-specific analysis is generally required. On-site groundwater level monitoring and determination of induced groundwater mounding is often necessary to establish the suitability of this unit. Curtain drains may help lower the water table to an acceptable level, however, the minimal slope may prevent their use in many areas.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth Typica	Typical	Clay (Pct)	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
	(ln)						Kw	Kf	Т
Kendaia	0-8	SIL	10-27	5.6 - 7.3	0.6-2	3.0-10	.32	.32	3
	8-24	L	18-27	6.1 - 7.8	0.6-2	0.5-2.0	.37	.37	
	24-60	GR-L	18-27	7.4 - 8.4	0.06-0.2	0.0-0.5	.24	.43	

WATER FEATURES					SOIL FEATURES			
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Kendaia	C/D	0.5-1.5	None		None		No	

	LAND USE LIMITA	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Kendaia	Dwellings with basements:	Very limited	Depth to saturated zone	Pasture	6.5 AUM
Kendaia Pond reservoir areas	Pond reservoir areas:	Somewhat limited	Seepage	Grass-legume hay	3.5 Tons
Rendala	Folid reservoir areas.	Comewhat illilited	Occpage	Grass hay	4 Tons
				Corn silage	21 Tons

	Management	<u>v</u>	<u>NT</u>	
Soil name	concern	Rating	Reason	Vermont natural communities
Kendaia	Harvest equip operability:	Moderately suited	30-60cm to water table >=6mos	Rich Northern Hardwood Forest, Northern Hardwood Forest,Sugar Maple-White
Kendaia	Road suitability:	Moderately suited	Wetness	Ash Northern Hardwood Forest,Red Maple- Black Ash Swamp
Kendaia	Frosion hazard (off-road):	Slight		1 Diack Ash Gwamp