

## LcA: Lyons very stony silt loam, 0 to 3 percent slopes

The Lyons component makes up 85 percent of the map unit. The natural drainage class is very poorly drained. Water movement in the most restrictive layer is very low. This component is on depressions on glaciated uplands. The parent material consists of fine-loamy till. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: NPSL	Land capability: 7 s	Vermont Agricultural Value Group: 9
---	----------------------	-------------------------------------

## Vermont Residential Onsite Waste Disposal Group and Subgroup: IVa

This unit is generally not suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. Excessive soil wetness in association with the minimal slope is the limiting condition. Prolonged periods of saturation at or near the soil surface do not allow for the proper functioning of septic systems.

PHYSICAL and CHEMICAL PROPERTIES								CTORS
Depth	Typical	Clay (Pct)	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
(ln)						Kw	Kf	Т
0-9	SIL	15-30	5.6 - 7.3	0.2-2	1.0-4.0	.32	.32	5
9-36	L	18-28	6.1 - 7.8	0.2-2	0.5-2.0	.32	.32	
36-60	FSL	18-28	7.4 - 8.4	0-0.2	0.0-0.5	.28	.28	
	0-9 9-36	Depth (In) Typical texture  0-9 SIL 9-36 L	Depth (In)         Typical texture         Clay (Pct)           0-9         SIL         15-30           9-36         L         18-28	Depth (In)         Typical texture         Clay (Pct)         Soil reaction (pH)           0-9         SIL         15-30         5.6 - 7.3           9-36         L         18-28         6.1 - 7.8	Depth (In)         Typical texture         Clay (Pct)         Soil reaction (pH)         Permeability (In/Hr)           0-9         SIL         15-30         5.6 - 7.3         0.2-2           9-36         L         18-28         6.1 - 7.8         0.2-2	Depth (In)         Typical texture         Clay (Pct)         Soil reaction (pH)         Permeability (In/Hr)         Organic matter (Pct)           0-9         SIL         15-30         5.6 - 7.3         0.2-2         1.0-4.0           9-36         L         18-28         6.1 - 7.8         0.2-2         0.5-2.0	Depth (In)         Typical texture         Clay (Pct)         Soil reaction (pH)         Permeability (In/Hr)         Organic matter (Pct)         Kw           0-9         SIL         15-30         5.6 - 7.3         0.2-2         1.0-4.0         .32           9-36         L         18-28         6.1 - 7.8         0.2-2         0.5-2.0         .32	Depth (In)   Typical texture   Clay (Pct)   Soil reaction (pH)   Permeability (In/Hr)   Matter (Pct)   Kw   Kf

WATER FEATURES						SOIL FEATURES		
Hydrologic		Depth to seasonal high water table	Flooding		Ponding		Hydric	
Soil name	, ,		Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Lyons	C/D	0.0-0.5	None		Frequent	Long (7 to 30 days)	Yes	

	LAND USE LIMITATION	<u>AGRICULTURA</u>	L YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Lyons	Dwellings with basements: V	ery limited	Ponding	-	

Lyons Pond reservoir areas: Somewhat limited Seepage

	Management	WOODLAND MANAGEMENT				
Soil name	concern	Rating	Reason	Vermont natural communities		
Lyons	Harvest equip operability:	Poorly suited	<30cm to water table fo	Red Maple-Black Ash Swamp, Calcareous Red Maple-Tamarack Swamp		
Lyons	Road suitability:	Poorly suited	Ponding			
Lvons	Erosion hazard (off-road):	Slight		1		