

Whately

WaA: Whately loam, 0 to 3 percent slopes

The Whately component makes up 85 percent of the map unit. The natural drainage class is very poorly drained. Water movement in the most restrictive layer is very low. This component is on -- Error in Exists On --. The parent material consists of coarse-loamy glaciolacustrine deposits over clayey glaciolacustrine deposits. Depth to a root restrictive layer is greater than 60 inches.

Vermont Residential Onsite Waste Disposal Group and Subgroup: IVa

Pond reservoir areas:

This unit is generally not suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. Excessive soil wetness in association with the minimal slope is the limiting condition. Prolonged periods of saturation at or near the soil surface do not allow for the proper functioning of septic systems.

| | | PHYSICAL and | CHEMICA | L PROPERT | <u>IES</u> | | EBOS | ION E | ACTORS |
|-----------|---|------------------|---------------|--------------------------|-------------------------|----------------------------|-----------------|----------------|----------|
| Soil name | Depth | Typical texture | Clay (Pct) | Soil reaction (pH) | Permeability (In/Hr) | Organic matter (Pct) | EROSION FACTORS | | |
| | (ln) | | | | | | Kw | Kf | Т |
| Whately | 0-7 | L | 5-10 | 5.6 - 6.5 | 2-6 | 3.0-10 | .32 | .32 | 4 |
| | 7-20 | SL | 5-10 | 5.6 - 6.5 | 2-6 | 0.5-2.0 | .37 | .37 | |
| | 20-65 | С | 35-55 | 6.1 - 7.3 | 0-0.2 | 0.0-0.5 | .24 | .24 | |
| | | WATE | R FEATURI | <u>ES</u> | | | | SOIL | FEATURES |
| | Hydrologic Depth to seasonal high water table | Flooding | | Pon | Ponding | | dric | | |
| Soil name | | high water table | Fragueno | Duration | Eroguenov | Duration | soil? | Depth to bedro | |

| | | | | | | OGIET EMIGREE | | |
|-----------|---------------------|---|-----------|----------|-----------|---------------------|--------|------------------------------------|
| Soil name | Hydrologic group | Depth to seasonal high water table (Feet) | Flooding | | Ponding | | Hydric | |
| | | | Frequency | Duration | Frequency | Duration | soil? | Depth to bedrock (range in inches) |
| Whately | C/D | 0.0 | None | | Frequent | Long (7 to 30 days) | Yes | |

| | LAND USE LIMITATION | AGRICULTURAL YIELD DATA | | | |
|-----------|-----------------------------|-------------------------|-----------|-----------|--------------|
| Soil name | Land use | Rating | Reason ** | Crop name | Yield / acre |
| Whately | Dwellings with basements: V | ery limited | Ponding | | |

Seepage

Very limited

| | Management | | WOODLAND MANAGEMEN | DLAND MANAGEMENT | | | |
|-----------|----------------------------|---------------|-------------------------|--|--|--|--|
| Soil name | concern | Rating | Reason | Vermont natural communities | | | |
| Whately | Harvest equip operability: | Poorly suited | <30cm to water table fo | Sedge Meadow,Alder Swamp,Spruce-Fir- Tamarack Swamp,Red Maple-Black Ash | | | |
| Whately | Road suitability: | Poorly suited | Ponding | Swamp | | | |
| Whately | Erosion hazard (off-road): | Slight | | • | | | |