

VeC: Vershire-Glover rocky loams, 8 to 15 percent slopes

The Vershire component makes up 50 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Glover component makes up 30 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

Important farmland classification: Statewide

Land capability: 3 e

Vermont Agricultural Value Group: 7e

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ilc

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock in some areas is the primary concern. A significant percentage of this map unit has sufficient soil depth over bedrock to accept a range of designs. On-site investigations can help avoid areas with limited depth to bedrock. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

PHYSICAL and CHEMICAL PROPERTIES							EROSION FACTORS		
Soil name	Depth (In)	Typical texture	Clay (Pct)	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	Kw	Kf	T
Vershire	0-6	L	4-18	4.5 - 6.5	0.6-2	1.0-4.0	.32	.32	2
	6-30	GR-L	4-18	4.5 - 6.5	0.6-2	0.5-3.0	.24	.43	
	30-40	UWB	---	---	0.01-20	---	---	---	
Glover	0-8	L	4-18	4.5 - 6.5	0.6-2	2.0-8.0	.37	.37	1
	8-17	L	4-18	4.5 - 6.5	0.6-2	0.5-3.0	.43	.43	
	17-19	L	4-18	4.5 - 6.5	0.6-2	0.5-3.0	.43	.43	
	19-29	UWB	---	---	0.01-20	---	---	---	

WATER FEATURES						SOIL FEATURES		
Soil name	Hydrologic group	Depth to seasonal high water table (Feet)	Flooding		Ponding		Hydric soil?	Depth to bedrock (range in inches)
			Frequency	Duration	Frequency	Duration		
Vershire	C	---	None		None		No	20-40
Glover	D	---	None		None		No	10-20

LAND USE LIMITATIONS				AGRICULTURAL YIELD DATA	
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Glover	Dwellings with basements:	Very limited	Depth to hard bedrock	Grass-legume hay	3.5 Tons
Vershire	Dwellings with basements:	Very limited	Depth to hard bedrock	Grass-clover	5.6 AUM
Glover	Pond reservoir areas:	Very limited	Slope	Grass hay	3.5 Tons
Vershire	Pond reservoir areas:	Very limited	Slope	Corn silage	15 Tons
				Alfalfa hay	4 Tons
				Grass-legume hay	2.5 Tons
				Grass-clover	4 AUM
				Grass hay	2 Tons
				Corn silage	13 Tons

WOODLAND MANAGEMENT				
Soil name	Management concern	Rating	Reason	Vermont natural communities
Glover	Harvest equip operability:	Well suited		Northern Hardwood Forest, Mesic Red Oak-Northern Hardwood Forest, Rich Northern Hardwood Forest, Hemlock Forest, Temperate Acidic Outcrop,
Vershire	Harvest equip operability:	Well suited		
Glover	Road suitability:	Moderately suited	Slope	
Vershire	Road suitability:	Moderately suited	Slope	

Glover	Erosion hazard (off-road):	Moderate	Slope/erodibility	Temperate Acidic Cliff,
Vershire	Erosion hazard (off-road):	Slight		Temperate Calcareous Outcrop, Temperate Calcareous Cliff