

11C: Taconic-Hubbardton complex, 8 to 25 percent slopes, very rocky

The Taconic component makes up 50 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

The Hubbardton component makes up 35 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is low. This component is on ridges on glaciated uplands, hills on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 2 to 10 inches.

Important farmland classification: NPSL	Land capability: 6 s	Vermont Agricultural Value Group: 10
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IVc

This unit is generally not suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The very shallow to shallow depth to bedrock is the limiting condition.

PHYSICAL and CHEMICAL PROPERTIES							EROSION FACTORS		
Soil name	Depth	Typical	Clay	Soil reaction	Permeability n (In/Hr)	Organic matter (Pct)	<u>EROSION FACTORS</u>		
Soli Hame	(In)	texture	(Pct)	(pH)			Kw	Kf	Т
Taconic	0-3	CNV-SIL	10-27	4.5 - 6.0	0.6-6	2.0-6.0	.15	.37	1
	3-18	CNV-SIL	10-27	4.5 - 6.0	0.6-6	0.0-1.0	.17	.55	
	18-28	UWB			0.01-20				
Hubbardton	0-3	FLV-SIL	3-18	3.6 - 5.5	0.6-6	2.0-6.0	.15	.43	1
	3-5	FLV-SIL	3-18	3.6 - 5.5	0.6-6	0.0-1.0	.24	.64	
	5-15	UWB			0.01-20				

		WATE	R FEATURES				SOIL	FEATURES
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Taconic	D		None		None		No	10-20
Hubbardton	D		None		None		No	2-10

	LAND USE LIMITA	<u> TIONS</u>		<u>AGRICULTURA</u>	L YIELD DATA
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Taconic	Dwellings with basements:	Very limited	Depth to hard bedrock	Pasture	1.7 AUM
Hubbardton	Dwellings with basements:	Very limited	Depth to hard bedrock	Pasture	1.5 AUM
Taconic Hubbardton	Pond reservoir areas: Pond reservoir areas:	Very limited Very limited	Slope Slope		

	Management		WOODLAND MANAGE	EMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Taconic	Harvest equip operability:	Well suited	_	Dry Oak-Hickory-Hophornbeam Forest,
Hubbardton	Harvest equip operability:	Well suited		Mesic Red Oak-Northern Hardwood Forest, Dry Oak Forest.
Гасопіс	Road suitability:	Poorly suited	Slope	Red Cedar Woodland,
Hubbardton	Road suitability:	Poorly suited	Slope	Mesic Maple-Ash-Hickory-Oak Forest,
Taconic	Erosion hazard (off-road):	Moderate	Slope/erodibility	Temperate Acidic Outcrop, Temperate Acidic Cliff,
Hubbardton	Erosion hazard (off-road):	Moderate	Slope/erodibility	Dry Oak Woodland