

## 129D: Killington-Rawsonville complex, 15 to 35 percent slopes, very rocky

The Killington component makes up 50 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, mountains on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

The Rawsonville component makes up 30 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, mountains on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

Important farmland classification: NPSL	Land capability: 7 s	Vermont Agricultural Value Group: 10
---	----------------------	--------------------------------------

## Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIa

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock is the major limitation. On-site investigations are needed to locate areas with sufficient soil depth. A significant percentage of the soils in this unit are less than 18 inches to bedrock and are not suitable as a site. However, there may be deeper areas that are suitable. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

PHYSICAL and CHEMICAL PROPERTIES EROSION FACTORS									
Soil name	Depth Typical	Clay	Soil reaction	Permeability (In/Hr)	Organic matter	<u>EROSION FACTORS</u>			
Son name	(In)	texture	(Pct)	(pH)	` '	(Pct)	Kw	Kf	Т
Killington	0-1	CBV-L	1-10	3.6 - 5.5	2-6	4.0-8.0	.10	.37	1
	1-17	STV-L	1-10	3.6 - 5.5	2-6	4.0-8.0	.10	.43	
	17-27	UWB			0.01-20				
Rawsonville	0-3	GR-FSL	3-10	3.6 - 5.5	0.6-6	4.0-8.0	.10	.24	2
	3-23	GR-FSL	3-10	3.6 - 5.5	0.6-6	2.0-8.0	.17	.28	
	23-30	GR-SL	3-10	3.6 - 5.5	0.6-6	2.0-6.0	.15	.32	
	30-40	UWB			0.01-20				

WATER FEATURES						SOIL FEATURES		
	Hydrologic	Depth to seasonal	Flooding		Ponding		Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Killington	D		None		None		No	10-20
Rawsonville	С		None		None		No	20-40

LAND USE LIMITATIONS			AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Killington Rawsonville	Dwellings with basements:  Dwellings with basements:	•	Slope Slope	•	
Killington Rawsonville	Pond reservoir areas: Pond reservoir areas:	Very limited Very limited	Slope Slope		

	Management	<u>v</u>	<u>EMENT</u>	
oil name	concern	Rating	Reason	Vermont natural communities
Cillington	Harvest equip operability:	Moderately suited	Slope	Montane Yellow Birch-Red Spruce Forest,
awsonville	Harvest equip operability:	Moderately suited	Slope	Boreal Outcrop, Boreal Talus Woodland
llington	Road suitability:	Poorly suited	Slope	Borear raids Woodland
awsonville	Road suitability:	Poorly suited	Slope	
Illington	Erosion hazard (off-road):	Moderate	Slope/erodibility	
awsonville	Erosion hazard (off-road):	Moderate	Slope/erodibility	