

177: Pawling silt loam

The Pawling component makes up 80 percent of the map unit. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. This component is on flood plains on river valleys. The parent material consists of coarse-loamy alluvium over sandy and gravelly alluvium. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification:	Prime	Land capability: 2 w	Vermont Agricultural Value Group: 3
------------------------------------	-------	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIb

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The hazard of flooding and the depth to the seasonal high water table are the major limitations. This unit is on floodplains and typically includes land in the floodway and the special flood hazard area. Consult flood hazard maps prepared by the Federal Emergency Management Agency (FEMA) in local town offices for more information. Wastewater systems must be located, designed and constructed in a manner that avoids impairment to the system and contamination from the system due to flooding. A detailed, site-specific analysis with groundwater level monitoring and determination of induced groundwater mounding may be required to establish the suitability of this unit. Mound system construction and other site modifications are often necessary.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	Clay	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
Soil name	(ln)		(Pct)				Kw	Kf	Т
Pawling	0-9	SIL	6-18	5.1 - 7.3	0.6-2	4.0-6.0	.37	.37	3
	9-27	SIL	6-18	5.1 - 7.3	0.6-2	1.0-3.0	.49	.49	
	27-60	GRV-LS	1-8	5.6 - 7.3	2-20	0.0-2.0	.05	.15	

WATER FEATURES							SOIL FEATURES		
Hydrologic		Depth to seasonal	Flooding		Ponding		Hydric		
·	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Pawling	B/D	1.5-2.0	Occasional	Brief (2 to 7 days)	None		No		

	LAND USE LIMITA	AGRICULTURAL YIELD DATA				
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre	
Pawling	Dwellings with basements:	Very limited	Flooding	Grass-clover	5.6 AUM	
Pawling	Pond reservoir areas:	Very limited	Seepage	Grass-legume hay	3.5 Tons	
i awiiiig	i ond reservoir areas.	very innited	Occpage	Alfalfa hay	4.5 Tons	
				Grass hay	3.5 Tons	
				Corn silage	24 Tons	

	Management		WOODLAND MANA	AGEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Pawling	Harvest equip operability:	Well suited		Silver Maple-Sensitive Fern Riverine Floodplain
Pawling	Road suitability:	Poorly suited	Flooding	Forest, River Mud Shore,
Pawling	Erosion hazard (off-road):	Slight		Successional Floodplain Forest Variant