

42C: Macomber-Taconic complex, 8 to 15 percent slopes, rocky

The Macomber component makes up 60 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, knolls on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Taconic component makes up 30 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, knolls on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

Important farmland classification:	NPSL	Land capability: 6 s	Vermont Agricultural Value Group: 10
------------------------------------	------	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIc

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock in some areas is the primary concern. A significant percentage of this map unit has sufficient soil depth over bedrock to accept a range of designs. On-site investigations can help avoid areas with limited depth to bedrock. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	Clay	Soil	Permeability (In/Hr)	Organic matter (Pct)	EROSION FACTORS		
Soli Hame	(ln)	texture	(Pct)	reaction (pH)			Kw	Kf	Т
Macomber	0-6	CN-SIL	10-27	4.5 - 6.0	0.6-2	2.0-6.0	.17	.28	2
	6-36	CNV-SIL	10-27	4.5 - 6.0	0.6-2	0.0-1.0	.15	.43	
	36-46	UWB			0.01-20				
Taconic	0-3	CNV-SIL	10-27	4.5 - 6.0	0.6-6	2.0-6.0	.15	.37	1
	3-18	CNV-SIL	10-27	4.5 - 6.0	0.6-6	0.0-1.0	.17	.55	
	18-28	UWB			0.01-20				

		<u>WATE</u>	R FEATURES				SOIL	<u>FEATURES</u>
	Hydrologic	Depth to seasonal	Floo	ding	Pone	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Macomber	С		None		None		No	20-40
Taconic	D		None		None		No	10-20

	LAND USE LIMITA	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Macomber	Dwellings with basements:	,	Depth to hard bedrock	Pasture Pasture	2.8 AUM 2.4 AUM
Taconic	Dwellings with basements:	•	Depth to hard bedrock	Pasture	2.4 AUW
Macomber Taconic	Pond reservoir areas: Pond reservoir areas:	Very limited Very limited	Slope Slope		

	Management	<u>v</u>	VOODLAND MANA	GEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Macomber	Harvest equip operability:	Well suited	_	Northern Hardwood Forest,
Taconic	Harvest equip operability:	Well suited		Mesic Red Oak-Northern Hardwood Forest, Dry Oak-Hickory-Hophornbeam Forest,
Macomber	Road suitability:	Moderately suited	Slope	Red Cedar Woodland,
Taconic	Road suitability:	Moderately suited	Slope	Mesic Maple-Ash-Hickory-Oak Forest,
Macomber	Erosion hazard (off-road):	Slight		Temperate Acidic Outcrop, Temperate Acidic Cliff
Taconic	Erosion hazard (off-road):	Slight		•