

67B: Georgia and Amenia soils, 3 to 8 percent slopes, very stony

The Amenia component makes up 40 percent of the map unit. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. This component is on hills on glaciated uplands, knolls on glaciated uplands, ridges on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer is greater than 60 inches.

The Georgia component makes up 40 percent of the map unit. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. This component is on ridges on glaciated uplands, hills on glaciated uplands, knolls on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: NPSL	Land capability: 6 s	Vermont Agricultural Value Group: 9
---	----------------------	-------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ilh

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to the seasonal high water table is the primary concern. Mound system construction and other site modifications are often necessary. On sloping sites, curtain drains can help lower the water table to an acceptable level. In some cases, a detailed, site-specific analysis with groundwater level monitoring and determination of induced groundwater mounding may be required to establish the suitability of this unit.

PHYSICAL and CHEMICAL PROPERTIES EROSION FACTORS									
Soil name	Depth Typica	Typical	Clay	Soil	Permeability (In/Hr)	Organic matter	<u>EROSION FACTORS</u>		
Soli Hame	(In)	texture	(Pct) reaction (pH)		(III/AI) Inatter (Pct)		Kw	Kf	Т
Amenia	0-8	L	5-18	5.6 - 7.3	0.6-2	2.0-6.0	.28	.28	3
	8-24	GR-L	5-18	5.6 - 7.3	0.6-2	0.5-2.0	.28	.49	
	24-60	GR-FSL	5-18	7.4 - 8.4	0.06-0.2	0.0-0.5	.24	.37	
Georgia	0-10	L	7-18	5.1 - 7.3	0.6-2	3.0-8.0	.28	.28	3
	10-30	GR-L	5-18	5.1 - 7.3	0.6-2	0.0-1.0	.28	.43	
	30-60	GR-L	10-18	5.1 - 7.3	0.06-0.2	0.0-0.5	.28	.49	

	WATER FEATURES					SOIL FEATURES			
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric		
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Amenia	С	1.5-3.0	None		None		No		
Georgia	С	1.5-3.0	None		None		No		

	LAND USE LIMITA	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Georgia	Dwellings with basements:	Very limited	Depth to saturated zone	Pasture	3 AUM
Amenia	Dwellings with basements:	Very limited	Depth to saturated zone	Pasture	3.8 AUM
Georgia	Pond reservoir areas:	Somewhat limited	Seepage		
Amenia	Pond reservoir areas:	Somewhat limited	Seepage		

	Management		WOODLAND MANA	GEMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Georgia	Harvest equip operability:	Well suited		Mesic Maple-Ash-Hickory-Oak Forest,
Amenia	Harvest equip operability:	Well suited		Rich Northern Hardwood Forest, Sugar Maple-White Ash Northern Hardwood
Georgia	Road suitability:	Well suited		Forest
Amenia	Road suitability:	Well suited		
Georgia	Erosion hazard (off-road):	Slight		
Amenia	Erosion hazard (off-road):	Slight		

