

98E: Quonset-Warwick complex, 25 to 45 percent slopes

The Quonset component makes up 50 percent of the map unit. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of sandy and gravelly glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

The Warwick component makes up 30 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is high. This component is on terraces on river valleys. The parent material consists of coarse-loamy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: NPSL	Land capability: 7 s	Vermont Agricultural Value Group: 11
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: Ile

This unit is moderately suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The rapid permeability in the substratum and slopes greater than 20 percent are the primary concerns. Backfilling absorption trenches and beds with at least one foot of finer textured material, or other site modifications, may be necessary to slow the percolation rate enough to allow for thorough filtering of effluent. Cut and fill site modifications may produce an acceptable area within the unit. An erosion prevention and sediment control plan is required by the State for construction on sites over 20 percent slope.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	Clay	Soil reaction	Permeability (In/Hr)	Organic matter (Pct)	<u>EROSION FACTORS</u>		
Soli Hame	(ln)	texture	(Pct)	(pH)			Kw	Kf	Т
Quonset	0-7	GRV-LS	2-7	4.5 - 5.5	2-20	1.0-7.0	.05	.15	5
	7-20	CNV-LS	1-4	4.5 - 6.0	2-20	0.5-2.0	.05	.17	
	20-60	CNV-COS	0-2	5.1 - 6.5	20-100	0.0-0.5	.02	.02	
Warwick	0-6	CN-FSL	3-8	4.5 - 6.5	2-6	1.0-5.0	.15	.24	3
	6-27	CNV-FSL	3-8	4.5 - 6.0	2-6	0.5-2.0	.10	.32	
	27-60	CNV-S	0-3	4.5 - 6.5	20-100	0.0-0.5	.02	.02	

		WATER FEATURES				SOIL FEATURES		
	Hydrologic	Depth to seasonal	Floo	ding	Pon	ding	Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Quonset	Α		None		None		No	
Warwick	Α		None		None		No	

	LAND USE LIMITA	<u>AGRICULTUI</u>	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre	
Quonset	Dwellings with basements:	Very limited	Slope	-		
Warwick	Dwellings with basements:	Very limited	Slope			
Quonset Warwick	Pond reservoir areas: Pond reservoir areas:	Very limited Very limited	Seepage Seepage			

Management			WOODLAND MANAGE	EMENT
Soil name	concern	Rating	Reason	Vermont natural communities
Quonset	Harvest equip operability:	Poorly suited	Slope	White Pine-Red Oak-Black Oak Forest,
Warwick	Harvest equip operability:	Poorly suited	Slope	White Pine-Northern Hardwood Forest Variant
Quonset	Road suitability:	Poorly suited	Slope	
Narwick	Road suitability:	Poorly suited	Slope	
Quonset	Erosion hazard (off-road):	Severe	Slope/erodibility	
Warwick	Erosion hazard (off-road):	Severe	Slope/erodibility	