

44C: Lamoine silt loam, 8 to 15 percent slopes

The Lamoine component makes up 85 percent of the map unit. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. This component is on dissected lake plains, lake plains. The parent material consists of clayey glaciolacustrine deposits. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: Statewide	Land capability: 3 e	Vermont Agricultural Value Group: 7d
----------------------------------------------	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIId

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to the seasonal high water table is the major limitation. A detailed, site-specific analysis is generally required. On-site groundwater level monitoring and determination of induced groundwater mounding is often necessary to establish the suitability of this unit. Curtain drains may help lower the water table to an acceptable level.

PHYSICAL and CHEMICAL PROPERTIES							EROSION FACTORS		
Soil name	Depth (In)	Typical texture	Clay (Pct)	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	Kw	Kf	T
Lamoine	0-10	SIL	15-30	5.1 - 6.5	0.2-2	3.0-8.0	.37	.37	5
	10-17	SIL	20-45	5.6 - 7.3	0.06-0.6	0.5-3.0	.43	.43	
	17-65	SIC	35-55	5.6 - 7.3	0.001-0.2	0.0-0.5	.32	.32	

WATER FEATURES						SOIL FEATURES		
Soil name	Hydrologic group	Depth to seasonal high water table (Feet)	Flooding		Ponding		Hydric soil?	Depth to bedrock (range in inches)
			Frequency	Duration	Frequency	Duration		
Lamoine	C/D	0.5-1.5	None		None		No	---

LAND USE LIMITATIONS				AGRICULTURAL YIELD DATA	
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Lamoine	Dwellings with basements:	Very limited	Depth to saturated zone	Grass-legume hay	3.5 Tons
Lamoine	Pond reservoir areas:	Very limited	Slope	Grass hay	4 Tons
				Corn silage	20 Tons
				Alfalfa hay	3.5 Tons
				Pasture	6.5 AUM

WOODLAND MANAGEMENT				
Soil name	Management concern	Rating	Reason	Vermont natural communities
Lamoine	Harvest equip operability:	Moderately suited	30-60cm to water table >=6mos	Red Spruce-Northern Hardwood Forest, Lowland Spruce-Fir Forest, Northern Hardwood Forest
Lamoine	Road suitability:	Moderately suited	Slope	
Lamoine	Erosion hazard (off-road):	Moderate	Slope/erodibility	