

68D: Stratton-Glebe complex, 15 to 35 percent slopes, very rocky

The Stratton component makes up 45 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on mountains on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

The Glebe component makes up 35 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on mountains on glaciated uplands. The parent material consists of coarse-loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

| Important farmland classification: NPSL | Land capability: 7 s | Vermont Agricultural Value Group: 11 |
|---|----------------------|--------------------------------------|
|---|----------------------|--------------------------------------|

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIa

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to bedrock is the major limitation. On-site investigations are needed to locate areas with sufficient soil depth. A significant percentage of the soils in this unit are less than 18 inches to bedrock and are not suitable as a site. However, there may be deeper areas that are suitable. Additional fill material may be needed in some areas in order to meet the separation distance requirement between the bottom of the leachfield and bedrock.

| PHYSICAL and CHEMICAL PROPERTIES | | | | | | | EROSION FACTORS | | |
|----------------------------------|---------------------------------------|---------------|-------|-------------------|------------------------|--------|-----------------|-----|---|
| Soil name | Soil name Depth Typical Clay reaction | Soil reaction | | Organic matter | <u>EROSION FACTORS</u> | | | | |
| Son name | (ln) | texture | (Pct) | (pH) | (117/111) | (Pct) | Kw | Kf | Т |
| Stratton | 0-1 | SPM | | 3.2 - 5.7 | 2-6 | 25-95 | | | 1 |
| | 1-2 | FSL | 1-7 | 3.6 - 5.5 | 0.6-6 | 8.0-20 | .37 | .37 | |
| | 2-18 | GRV-FSL | 1-12 | 3.6 - 5.5 | 0.6-6 | 5.0-20 | .10 | .28 | |
| | 18-28 | UWB | | | 0.01-20 | | | | |
| Glebe | 0-1 | SPM | | 3.2 - 5.7 | 2-6 | 25-95 | | | 2 |
| | 1-2 | VFSL | 1-7 | 3.6 - 5.5 | 2-6 | 8.0-20 | .37 | .37 | |
| | 2-34 | FSL | 1-12 | 3.6 - 5.5 | 2-6 | 5.0-20 | .24 | .24 | |
| | 34-44 | UWB | | | 0.01-20 | | | | |

| | | WATE | R FEATURES | į | | | SOIL | FEATURES | |
|-----------|------------|----------------------------|------------|----------|-----------|----------|--------|------------------------------------|--|
| | Hydrologic | Depth to seasonal | Flooding | | Ponding | | Hydric | | |
| Soil name | group | high water table (Feet) | Frequency | Duration | Frequency | Duration | soil? | Depth to bedrock (range in inches) | |
| Stratton | D | | None | | None | | No | 10-20 | |
| Glebe | В | | None | | None | | No | 20-40 | |

| | LAND USE LIMITA | <u>TIONS</u> | | <u>AGRICULTURA</u> | L YIELD DATA |
|-------------------|--|------------------------------|------------------|--------------------|--------------|
| Soil name | Land use | Rating | Reason ** | Crop name | Yield / acre |
| Stratton | Dwellings with basements: | Very limited | Slope | | |
| Glebe | Dwellings with basements: | Very limited | Slope | | |
| Stratton Glebe | Pond reservoir areas: Pond reservoir areas: | Very limited Very limited | Slope Seepage | | |

| | Management | <u>w</u> | OODLAND MANAGE | <u>EMENT</u> |
|-----------|----------------------------|-------------------|-------------------|--------------------------------------|
| Soil name | concern | Rating | Reason | Vermont natural communities |
| Stratton | Harvest equip operability: | Moderately suited | Slope | Montane Spruce-Fir Forest, |
| Glebe | Harvest equip operability: | Moderately suited | Slope | Boreal Outcrop, Subalpine Krummholz, |
| Stratton | Road suitability: | Poorly suited | Slope | Alpine Meadow |
| Glebe | Road suitability: | Poorly suited | Slope | |
| Stratton | Erosion hazard (off-road): | Moderate | Slope/erodibility | |
| Glebe | Erosion hazard (off-road): | Moderate | Slope/erodibility | |

