

33: Rumney fine sandy loam, 0 to 3 percent slopes, frequently flooded

The Rumney component makes up 84 percent of the map unit. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. This component is on flood plains on river valleys. The parent material consists of coarse-loamy alluvium derived from schist and/or coarse-loamy alluvium derived from quartzite and/or coarse-loamy alluvium derived from granite and gneiss. Depth to a root restrictive layer is greater than 60 inches.

Important farmland classification: Statewide (b)	Land capability: 4 w	Vermont Agricultural Value Group: 4d
--	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IVa

This unit is generally not suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. Excessive soil wetness in association with the minimal slope is the limiting condition. Prolonged periods of saturation at or near the soil surface do not allow for the proper functioning of septic systems.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth (In)	Typical	Clay (Pct)	Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	<u>EROSION FACTORS</u>		
Soli Harrie		texture					Kw	Kf	Т
Rumney	0-9	FSL	1-10	4.5 - 7.3	0.1-14	2.0-8.0	.20	.20	3
•	9-20	FSL	1-10	4.5 - 7.3	0.1-14	0.0-3.0	.32	.32	
	20-30	SL	1-10	4.5 - 7.3	0.1-14	0.0-3.0	.28	.28	
	30-65	LS	0-3	4.5 - 7.3	1-100	0.0-1.5	.15	.15	

WATER FEATURES							SOIL FEATURES		
Soil name Hydrologic group	Hvdrologic	Depth to seasonal	Flooding		Ponding		Hydric		
	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)		
Rumney	B/D	0.0-1.0	Frequent	Brief (2 to 7 days)	None		Yes		

LAND USE LIMITATIONS					AGRICULTURAL YIELD DATA		
Soil name	Land use	Rating	Reason **		Crop name	Yield / acre	
Rumney	Dwellings with basements:	Very limited	Flooding		Pasture	6.5 AUN	
Rumney	Pond reservoir areas:	Very limited	Seepage		Grass-legume hay	2.5 Tons	
rtuiiioy	Total reservoir areas.	vory miniou	Coopago		Corn silage	20 Tons	

	Management		WOODLAND MANAGEMENT				
Soil name	concern	Rating	Reason	Vermont natural communities			
Rumney	Harvest equip operability:	Poorly suited	<30cm to water table for >=6mos	Silver Maple-Sensitive Fern Riverine Floodplain Forest,			
Rumney	Road suitability:	Poorly suited	Flooding	Alluvial Shrub Swamp, Alder Swamp,			
Rumney	Erosion hazard (off-road):	Slight		River Mud Shore			