

45B: Eldridge fine sandy loam, 3 to 8 percent slopes

The Eldridge component makes up 85 percent of the map unit. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. This component is on gently sloping lake terraces on lake plains. The parent material consists of sandy glaciolacustrine deposits over loamy glaciolacustrine deposits. Depth to a root restrictive layer is greater than 60 inches.

| Important farmland classification: Prime | Land capability: 2 w | Vermont Agricultural Value Group: 3 |
|--|----------------------|-------------------------------------|
|--|----------------------|-------------------------------------|

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIIc

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to the seasonal high water table in association with the minimal slope is the major limitation. A detailed, site-specific analysis is generally required. On-site groundwater level monitoring and determination of induced groundwater mounding is often necessary to establish the suitability of this unit. Curtain drains may help lower the water table to an acceptable level, however, the minimal slope may prevent their use in many areas.

| PHYSICAL and CHEMICAL PROPERTIES | | | | | | | EROSION FACTORS | | |
|----------------------------------|-------|-----------|-------|---------------|-------------------------|----------------------------|-------------------------|-----|---|
| Soil name | Depth | Typical | Clay | Soil reaction | Permeability (In/Hr) | Organic matter (Pct) | <u> LKOOIONT AOTOKO</u> | | |
| | (ln) | texture (| (Pct) | (pH) | | | Kw | Kf | Т |
| Eldridge | 0-4 | FSL | 1-5 | 5.1 - 7.3 | 6-20 | 2.0-4.0 | .32 | .32 | 5 |
| | 4-9 | SL | 1-5 | 5.1 - 7.3 | 6-20 | 0.5-2.0 | .28 | .28 | |
| | 9-25 | LFS | 1-5 | 5.1 - 7.3 | 6-20 | 0.5-2.0 | .37 | .37 | |
| | 25-65 | SIL | 3-18 | 5.1 - 7.3 | 0.06-0.6 | 0.0-0.5 | .64 | .64 | |

| WATER FEATURES | | | | SOIL FEATURES | | | | |
|----------------|------------|----------------------------|-----------|---------------|-----------|----------|--------|------------------------------------|
| | Hydrologic | Depth to seasonal | Floo | ding | Pon | ding | Hydric | |
| Soil name | group | high water table (Feet) | Frequency | Duration | Frequency | Duration | soil? | Depth to bedrock (range in inches) |
| Eldridge | C/D | 1.0-2.0 | None | | None | | No | |

| | LAND USE LIMITAT | AGRICULTURAL YIELD DATA | | | |
|-----------|---------------------------|-------------------------|-------------------------|------------------|--------------|
| Soil name | Land use | Rating | Reason ** | Crop name | Yield / acre |
| Eldridge | Dwellings with basements: | Very limited | Depth to saturated zone | Grass-legume hay | 3.5 Tons |
| Eldridge | Pond reservoir areas: | Very limited | Seepage | Grass-clover | 5.6 AUM |
| Lidilage | Fond reservoir areas. | very infinted | Seepage | Grass hay | 3 Tons |
| | | | | Corn silage | 16 Tons |
| | | | | Alfalfa hay | 4 Tons |

| | Management | MOODLAND MANAGEMENT | | | | | |
|-----------|----------------------------|---------------------|--------------------------|--|--|--|--|
| Soil name | concern | Rating | Reason | Vermont natural communities | | | |
| Eldridge | Harvest equip operability: | Moderately suited | 30-60cm to water table t | White Pine-Red Oak-Black Oak Forest, White Pine-Northern Hardwood Forest Variant, | | | |
| Eldridge | Road suitability: | Moderately suited | Wetness | Sugar Maple-Ostrich Fern Riverine Floodplain Forest | | | |
| Eldridge | Frosion hazard (off-road): | Slight | | I I Olest | | | |