

80F: Macomber-Taconic complex, 25 to 70 percent slopes, very rocky

The Macomber, very rocky component makes up 55 percent of the map unit. The natural drainage class is well drained. Water movement in the most restrictive layer is low. This component is on steep to very steep hills on glaciated uplands. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches.

The Taconic, very rocky component makes up 30 percent of the map unit. The natural drainage class is somewhat excessively drained. Water movement in the most restrictive layer is low. This component is on steep to very steep hills on glaciated uplands. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches.

Important farmland classification: NPSL	Land capability: 7 s	Vermont Agricultural Value Group: 11
---	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IVb

This unit is generally not suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. Steep slopes in association with the depth to bedrock is the limiting condition. Cut and fill site modifications that reduce the slope gradient are difficult to achieve due to the depth to bedrock.

PHYSICAL and CHEMICAL PROPERTIES							EROSION FACTORS		
Soil name	Depth	Typical	Clay	Soil reaction	Permeability (In/Hr)	Organic matter	<u>EROSION FACTORS</u>		
Soli Hame	(In) texture (Pct) reaction (pH)		(111/111)	Kw	Kf	Т			
Macomber, very rocky	0-3	MPM		3.2 - 5.7	2-6	25-100			2
	3-7	SIL	10-27	4.5 - 5.5	0.6-2	2.0-6.0	.28	.28	
	7-33	CNV-SIL	10-27	4.5 - 5.5	0.6-2	0.0-1.0	.15	.49	
	33-43	UWB			0.01-20				
Taconic, very rocky	0-3	MPM		3.2 - 5.7	2-6	25-100			1
	3-6	CN-SIL	10-27	4.5 - 5.5	0.6-6	2.0-6.0	.20	.37	
	6-15	CNV-SIL	10-27	4.5 - 5.5	0.6-6	0.0-1.0	.20	.49	
	15-25	UWB			0.01-20				

		<u>WATE</u>	R FEATURES				SOIL	<u>FEATURES</u>	
	Hydrologic	Depth to seasonal	Flooding		Ponding		Hydric		
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)	
Macomber, very rocky	С		None		None		No	20-40	
Taconic, very rocky	D		None		None		No	10-20	

	LAND USE LIMITA	<u>TIONS</u>			<u>AGRICULTURA</u>	<u>L YIELD DATA</u>
Soil name	Land use	Rating	Reason **		Crop name	Yield / acre
Macomber, very rocky	Dwellings with basements:	Very limited	Slope	-		
Taconic, very rocky	Dwellings with basements:	Very limited	Slope			
Macomber, very rocky	Pond reservoir areas:	Very limited	Slope			
Taconic, very rocky	Pond reservoir areas:	Very limited	Slope			

Management		WOODLAND MANAGE	<u>MENT</u>
		Reason	Vermont natural communities
Harvest equip operability:	Poorly suited	Slope	Northern Hardwood Forest,
Harvest equip operability:	Poorly suited	Slope	Mesic Red Oak-Northern Hardwood Forest, Dry Oak-Hickory-Hophornbeam Forest,
Road suitability:	Poorly suited	Slope	Red Cedar Woodland,
Road suitability:	Poorly suited	Slope	Mesic Maple-Ash-Hickory-Oak Forest,
Erosion hazard (off-road):	Severe	Slope/erodibility	Temperate Acidic Outcrop, Temperate Acidic Cliff
Erosion hazard (off-road):	Severe	Slope/erodibility	•
	Harvest equip operability: Harvest equip operability: Road suitability: Road suitability: Erosion hazard (off-road):	concern Rating Harvest equip operability: Poorly suited Harvest equip operability: Poorly suited Road suitability: Poorly suited Road suitability: Poorly suited	Management concern Rating Reason Harvest equip operability: Poorly suited Slope Harvest equip operability: Poorly suited Slope Road suitability: Poorly suited Slope Road suitability: Poorly suited Slope Road suitability: Poorly suited Slope Erosion hazard (off-road): Severe Slope/erodibility

