

Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total) (Bottom-Up**)

Agriculture (0 acres - 0 % of total)


No Impervious Land Cover Mapped in this Area

No Agricultural Land Cover Mapped in this Area

Wetlands (3.74 acres - 28.8 % of total)




Tree Canopy (12.19 acres - 93.8 % of total)




ources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

Nown: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class. om-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overla

See UVM SAL High-Resolution Land Cover 2016 Report for more detail.





Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total) (Bottom-Up**)

Agriculture (0 acres - 0 % of total)


No Impervious Land Cover Mapped in this Area

No Agricultural Land Cover Mapped in this Area

Wetlands (4.26 acres - 14.2 % of total)





Tree Canopy (28.94 acres - 96.5 % of total)



Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class. Inom-line A new Jand cover manning approach - land cover is manned as the lowermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features. See UVM SAL High-Resolution Land Cover 2016 Report for more detail.







Supplemental Land Cover



Wetlands (0.57 acres - 28.5 % of total)





Tree Canopy (1.83 acres - 91.7 % of total)



Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class. om-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/ob

See UVM SAL High-Resolution Land Cover 2016 Report for more detail.






Supplemental Land Cover




No Impervious Land Cover Mapped in this Area

No Agricultural Land Cover Mapped in this Area


Wetlands (3.52 acres - 29.3 % of total)




Tree Canopy (10.77 acres - 89.8 % of total)



See UVM SAL High-R





Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total) (Bottom-Up**)

Agriculture (0 acres - 0 % of total)


No Impervious Land Cover Mapped in this Area

No Agricultural Land Cover Mapped in this Area

Wetlands (7.67 acres - 7.7 % of total)



Tree Canopy (98.16 acres - 99.2 % of total)



traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features. See UVM SAL High-Resolution Land Cover 2016 Report for more detail.