

22C: Cabot silt loam, 8 to 15 percent slopes

The Cabot component makes up 84 percent of the map unit. The natural drainage class is poorly drained. Water movement in the most restrictive layer is low. This component is on hills on glaciated uplands, mountains on glaciated uplands. The parent material consists of loamy lodgment till derived from mica schist and/or loamy lodgment till derived from limestone. Depth to a root restrictive layer, densic material, is 6 to 20 inches.

Important farmland classification: Statewide (b)	Land capability: 3 e	Vermont Agricultural Value Group: 7d
--	----------------------	--------------------------------------

Vermont Residential Onsite Waste Disposal Group and Subgroup: IIId

This unit is marginally suited as a site for soil-based residential wastewater disposal systems, based on a review by the Natural Resources Conservation Service of criteria set forth in the Vermont 2007 Environmental Protection Rules. The depth to the seasonal high water table is the major limitation. A detailed, site-specific analysis is generally required. On-site groundwater level monitoring and determination of induced groundwater mounding is often necessary to establish the suitability of this unit. Curtain drains may help lower the water table to an acceptable level.

PHYSICAL and CHEMICAL PROPERTIES								EROSION FACTORS	
Soil name	Depth	Typical	Clay	Clay (Pct) Soil reaction (pH)	Permeability (In/Hr)	Organic matter (Pct)	EKOS	EROSION FACTORS	
	(In)	, , ,	(Pct)				Kw	Kf	Т
Cabot	0-7	SIL	1-15	5.1 - 7.3	0.1-14	3.5-20	.43	.43	2
	7-13	FSL	1-15	5.1 - 7.3	0.1-14	0.3-3.5	.49	.49	
	13-65	FSL	1-15	5.6 - 7.8	0.001-1	0.2-1.0	.43	.43	

<u>WATER FEATURES</u>						SOIL FEATURES		
	Hydrologic	Depth to seasonal	Flooding		Ponding		Hydric	
Soil name	group	high water table (Feet)	Frequency	Duration	Frequency	Duration	soil?	Depth to bedrock (range in inches)
Cabot	D	0.0-1.5	None		None		Yes	

	LAND USE LIMITA	AGRICULTURAL YIELD DATA			
Soil name	Land use	Rating	Reason **	Crop name	Yield / acre
Cabot	Dwellings with basements:	Very limited	Depth to saturated zone	Grass-legume hay	3.5 Tons
Cabot	Pond reservoir areas:	Very limited	Slope	Corn silage	13 Tons
Cabot	i ona receivon areas.			Grass-clover	5.6 AUM

	Management	WOODLAND MANAGEMENT				
Soil name	concern	Rating	Reason	Vermont natural communities		
Cabot	Harvest equip operability:	Poorly suited	<30cm to water table for >=6mos	Red Maple-Black Ash Swamp, Spruce-Fir-Tamarack Swamp,		
Cabot	Road suitability:	Moderately suited	Slope	Lowland Spruce-Fir Forest, Alder Swamp,		
Cabot	Erosion hazard (off-road):	Moderate	Slope/erodibility	Northern White Cedar Swamp, Calcareous Red Maple-Tamarack Swamp		